

GENERAL[®]

TOOLS

PRICE LIST

EFFECTIVE AUGUST 10, 1967

GENERAL HARDWARE MFG. CO., INC. 80 WHITE STREET, NEW YORK, N.Y., 10013, U.S.A. • 212-BA7-2648

PRICES: All prices are NET F.O.B. New York, and subject to change without notice.

TERMS: 2% 10 days (E.O.M.), Net 30 days

SMALL ORDERS: ACCOMMODATION OR FILL-IN ORDERS MUST BE FOR \$15 MINIMUM OR MORE, AND IN FULL PACKAGE QUANTITIES.

REPAIRS AND REPLACEMENT PARTS: No minimum required.

FREIGHT ALLOWANCE: On shipment of \$200. or 200 lbs. or more, freight will be allowed or prepaid (subject to our routing) to destinations in Continental United States (not including Alaska or Hawaii)

When shipments are routed via a Freight Consolidator, local charges will be prepaid and levied against your freight allowance.

PACKING - SPECIFY IF ANY PREFERENCE
C = IND. CARDED D = DISPLAY CARDED B = BOXED

• BASIC ITEMS









*NEW ITEMS

	CAT. PAGE NO.	STOCK NO.	ITEM	PKG. QTY.	SUGG. LIST			PKG. WT.
								LBS. DEC. LBS. FRACT.
	•	32 00	Circle Cutter, Jr. Adj. 5/8 to 2 1/2"	6	\$1.60 ea.			.5 1/2
	•	3	Circle Cutter, Rd. Sh. Adj. 1 1/4 to 4"	6	2.00 ea.	C		1.5 1 1/2
	•	4	Circle Cutter, Com. Sh. Adj. 7/8 to 4"	6	2.50 ea.			2.0 2
	•	5-A	Circle Cutter, Sq. Sh. Adj. 1 to 5 1/2"	3	3.30 ea.			1.5 1 1/2
	•	5-B	Circle Cutter, 5/16 Rd. Sh. Adj. 1 to 5 1/2"	3	3.30 ea.			1.5 1 1/2
	•	5-C	Circle Cutter, 1/2" Rd. Sh. Adj. 1 to 5 1/2"	3	3.30 ea.			1.5 1 1/2
		55	Circle Cutter, 1/2" Rd. Sh. Adj. 1 3/4 to 8"	1	6.00 ea.			.75 3/4
			Pilot Drills for 3, 4, 5 and 55 (Specify)		.50 ea.			
			Cutter Blades for 00 (Specify)		.60 ea.			
			Cutter Blades for 3, 4 and 5 (Specify)		.70 ea.			
			Cutter Blades for 55 (High Speed Steel)		1.20 ea.			
	•	42 6-A	Plug Cutter, 3/8" dia.	6	1.60 ea.	C		1.0 1
	•	6-B	Plug Cutter, 1/2" dia.	6	1.60 ea.	C		1.0 1
	•	6-C	Plug Cutter, 5/8" dia.	6	1.60 ea.	C		1.0 1
	•	AS-6-ABC	Plug Cutter Asst. (2 each size)	1	9.60 ast	C B		1.0 1
		18 7	Machinists Jack	6	1.20 ea.			1.2 1 1/4
	*	32 8	Hole Cutter, Adj. 7/8 to 1 1/2"	1	4.00 ea.			.25 1/4
			Extra Blade for #8 (3/16)	1	1.10 ea.			
	*	9	Hole Cutter, Adj. 1 1/4 to 2 1/2"	1	6.00 ea.			.5 1/2
			Extra Blade for #9 (5/16)	1	1.90 ea.			
	•	42 S-10	Countersink & Screwdrill (set of 4)	6	2.00 set	C		2.0 2
	•	33 11	Washer & Gasket Cutter, Adj. 1/2 to 6 1/2"	1	4.00 ea.			.4 3/8
			Blades for #11		.70 ea.			
		4 12	Drill Gage, A to Z	1	2.80 ea.			.25 1/4
		13	Drill Gage, 61 to 80	1	4.20 ea.			.06 1/8
	•	14	Drill Gage, 1/16 to 1/2	6	2.00 ea.			1.0 1
	•	15	Drill Gage, 1 to 60	6	2.00 ea.			1.0 1
	•	34 16	Multi-use Rule & Gage	6	2.00 ea.	C		.5 1/2
	•	4 17	Protractor, Sq. Hd.	6	2.60 ea.			.75 3/4
	*	CF-17	Protractor, Sq. Hd., Chrome Finish	1	5.00 ea.			.12 1/8
		18	Protractor, Rd. Hd.	6	2.60 ea.			.75 3/4
		19	Depth-Gage-Protractor	1	3.90 ea.			.12 1/8
		19mm	Depth-Gage-Protractor-Millimeter	1	3.90 ea.			.12 1/8
		CF-19	Depth-Gage-Protractor-Chrome Finish	1	5.90 ea.			.12 1/8
		5 20	American Std. Wire Gage (Round)	3	5.70 ea.			.55 1/2
		5 21	U.S. Std. Sheet Metal Gage (Round)	3	5.70 ea.			.55 1/2
		19 25	W and M Wire Gage	3	2.10 ea.			.5 1/2
		19 26	Screw and Wire Gage	3	2.00 ea.			.2 1/4

● BASIC ITEMS

*NEW ITEMS













PACKING - SPECIFY IF ANY PREFERENCE
C = IND. CARDED D = DISPLAY CARDED B = BOXED

ILLUSTRATION	CAT. PAGE NO.	STOCK NO.	ITEM	PKG. QTY.	SUGG. LIST			PKG. WT. LBS. DEC. LBS. FRACT.
	34	40	Drill Case, 61 to 80	6	\$1.50 ea.			.38 3/8
		41	Drill Case, 1 to 60	1	4.00 ea.			1.5 1 1/2
		42	Drill Case, 1/16 to 1/4"	1	1.80 ea.			.63 5/8
		43	Drill Case, 1/16 to 1/2"	1	5.80 ea.			3.0 3
		45	Drill Case, A to Z	1	7.10 ea.			4.0 4
	• 34	51	Drill Stand, 1 to 60 (Ind. Carded)	6	.98 ea.	C		2.5 1 1/2
	•	52	Drill Stand, 1/16 to 1/2" (Ind. Carded)	6	.98 ea.	C		2.5 1 1/2
		53	Drill Stand, A to Z (Ind. Carded)	6	.98 ea.	C		2.5 1 1/2
		55	Circle Cutter (see Cutters Page 1)					
	• 40	65	Wire Stripper	24	.30 ea.			2.0 2
	•	68	Wire Stripper, Adjustable	12	1.00 ea.	C D		2.0 2
	* •	69	Wire Stripper, Dial. Adj., Spring Opening	6	1.50 ea.	C		1.25 1 1/4
	* —	72	Revolving Punch Plier	12	2.60 ea.	C		8.0 8
	• 18	S-74	Center Punch Set in Vinyl Case	1 set	3.50 set			.5 1/2
		74-A	Center Punch A — 1/16"	12	.50 ea.			.5 1/2
		74-B	Center Punch B — 3/32"	12	.50 ea.			1.0 1
		74-C	Center Punch C — 9/64"	12	.55 ea.			1.25 1 1/4
		74-D	Center Punch D — 5/32"	6	.60 ea.			.75 3/4
		74-E	Center Punch E — 1/4"	6	.75 ea.			.85 7/8
			Extra Vinyl Case		.60 ea.			
	14	S-75	Drive Pin Set, 4" long (8 sizes in Wood Case)	1 set	7.20 set			1.12 1 1/8
	*	SPC-75	Drive Pin Set, 4" long (8 sizes in Vinyl Case)	1 set	7.20 set			1.0 1
		75A	Drive Pin Punch, A — 1/16"	12	.80 ea.			.5 1/2
		75-B	Drive Pin Punch, B — 3/32"	12	.80			.5 1/2
		75-C	Drive Pin Punch, C — 1/8"	12	.80			.8 7/8
		75-D	Drive Pin Punch, D — 5/32"	12	.80			.8 7/8
		75-E	Drive Pin Punch, E — 3/16"	12	.80			1.25 1 1/4
		75-F	Drive Pin Punch, F — 7/32"	12	.80			1.25 1 1/4
		75-G	Drive Pin Punch, G — 1/4"	6	.90 ea.			.63 5/8
		75-H	Drive Pin Punch, H — 5/16"	6	.90 ea.			1.0 1
			Extra Vinyl Case		.80 ea.			
	14	S-76	8" Drive Pin Set (5 sizes in Vinyl Case)	1 set	5.50 set			1.5 1 1/2
	*	76-A	8" Drive Pin Punch, A — 1/8"	6	.96 ea.			1.2 1 1/4
	*	76-B	8" Drive Pin Punch, B — 3/16"	6	.96 ea.			1.5 1 1/2
	*	76-C	8" Drive Pin Punch, C — 1/4"	6	.96 ea.			1.6 1 5/8
	*	76-D	8" Drive Pin Punch, D — 5/16"	6	.96 ea.			1.8 1 7/8
	*	76-E	8" Drive Pin Punch, E — 3/8"	6	.96 ea.			2.4 2 3/8
			Extra Vinyl Case		.70 ea.			
	14	77	Automatic Center Punch-Aluminum Body	3	3.60 ea.	C B		.75 3/4
		77-P	Point for #77		.70 ea.			.1 1/8
		78	Automatic Center Punch	1	5.70 ea.			.4 3/8
		78-P	Point for #78		.60 ea.			
		79	Automatic Center Punch	1	4.60 ea.			.2 1/4
		79-P	Point for #79		.50 ea.			
	• 15	80	Machinist Scriber, 8 1/2", Fixed Points (See #380 and #382 Machinist, Scriber, P.7)	12	.66 ea.			.7 3/4
		81	Pocket Scriber, 3/8" Body	12	1.00 ea.	C B		1.25 1 1/4
	•	83	Pocket Scriber, 1/4" Body	12	.90 ea.	C B		.5 1/2
	•	81/83	Pocket Scribers, (Display Card - 3 ea. size) 81-P and 83-P Points, (Specify size)	1 cd 1/2 dz	5.70 ast .25 ea.	D		.5 1/2
	•	84	Nork Pattern Needle Point Scriber (Disp.cd)	12	.90 ea.	D		1.0 1
			84-P Points for #84 Scribers, Dividers, etc.	1 dz	.44 dz.			
		85	Single Point Scriber	24	.28 ea.	B		1.0 1

● BASIC ITEMS

*NEW ITEMS








PACKING - SPECIFY IF ANY PREFERENCE
C = IND. CARDED D = DISPLAY CARDED B = BOXED

ILLUSTRATION	CAT. PAGE NO.	STOCK NO.	ITEM	PKG. QTY.	SUGG. LIST			PKG. WT.	
								LBS. DEC.	LBS. FRACT.
	17	86	Pocket Screwdriver, 1/4" Small (3/32" Blade)	12	\$1.00 ea.			.5	1/2
		87	Pocket Screwdriver, 3/8" Large (1/8" Blade)	12	1.10 ea.			1.25	1 1/4
			86-B and 87-B Blades (Specify Size)	1/2 dz.	.25 ea.				
	15	88	Carbide Point Scriber	6	1.60 ea.		C D	.3	3/8
		88-CM	Carbide Point Scriber with Magnet	6	1.95 ea.		C D	.5	1/2
			88-P Extra Carbide Point for 88 and 88CM		1.00 ea.				
	12	89	Wiggler and Center Finder See #389 sets with Attachments (Page 7)	3	2.25 ea.			.35	3/8
	12	90	Pin Vise, Double End, 2 Double End Collets	6	2.20 ea.		C B	.9	7/8
		92	Pin Vise, Swivel Head, 2 Double End Collets	6	1.80 ea.			1.0	1
		S-94	Pin Vise Set, 4 Sizes in Vinyl Case	1 set	9.70 set			.25	1/4
		94-A	Pin Vise, .0 to .055	6	1.90 ea.			.2	1/4
		94-B	Pin Vise, .025 to .075	6	2.10 ea.			.25	1/4
		94-C	Pin Vise, .045 to .125	6	2.30 ea.			.38	3/8
		94-D	Pin Vise, .110 to .187	6	2.40 ea.			.75	3/4
			Extra Vinyl Case		.80 ea.				
			HOLE and TELESCOPING GAGES (Sets in Snap-Button Vinyl Cases)						
	7	S-96	Flat Hole Gage Set in Case (A-B-C-D)	1 set	16.80 set			.25	1/4
		96-A	Flat Hole Gage, 1/8" to 2/10"	1	3.75 ea.			.05	
		96-B	Flat Hole Gage, 2/10" to 3/10"	1	3.85 ea.			.05	
		96-C	Flat Hole Gage, 3/10" to 4/10"	1	4.00 ea.			.05	
		96-D	Flat Hole Gage, 4/10" to 1/2"	1	4.10 ea.			.05	
			Extra Vinyl Case		.80 ea.				
	7	S-97	Hole Gage Set, in Case (A-B-C-D)	1 set	16.80 set			.25	1/4
		97-A	Hole Gage, 1/8" to 2/10"	1	3.75 ea.			.05	
		97-B	Hole Gage, 2/10" to 3/10"	1	3.85 ea.			.05	
		97-C	Hole Gage, 3/10" to 4/10"	1	4.00 ea.			.05	
		97-D	Hole Gage, 4/10" to 1/2"	1	4.10 ea.			.05	
			(No. 98 DOUBLE ACTION - SELF-CENTERING)						
	7	S-98-3	Telescoping Gage Set, 3 Gages, (A,B,C)	1	14.45 set			.2	1/4
		S-98-4	Telescoping Gage Set, 4 Gages (AA,A,B,C)	1	18.60 set			.25	1/4
		S-98-6	Telescoping Gage Set, 6 Gages (AA to E)	1	29.95 set			.50	1/2
		98-AA	Telescope Gage, 5/16 to 1/2"	1	4.15 ea.			.05	
		98-A	Telescope Gage, 1/2 to 3/4"	1	4.30 ea.			.05	
		98-B	Telescope Gage, 3/4 to 1 1/4"	1	4.40 ea.			.05	
		98-C	Telescope Gage, 1 1/4 to 2 1/8"	1	4.50 ea.			.06	
		98-D	Telescope Gage, 2 1/8 to 3 1/2"	1	5.20 ea.			.12	1/8
		98-E	Telescope Gage, 3 1/2 to 6"	1	5.90 ea.			.20	1/4
			Extra Vinyl Case for 6 pc. set		1.50 ea.				
			Extra Vinyl Case for 3 or 4 pc. set		1.25 ea.				
	7	S-99-3	Telescoping Gage Set, 3 Gages, (A,B,C)	1	13.80 set			.2	1/4
		S-99-4	Telescoping Gage Set, 4 Gages (AA,A,B,C)	1	17.90 set			.25	1/4
		S-99-6	Telescoping Gage Set, 6 Gages (AA to E)	1	28.50 set			.50	1/2
		99-AA	Telescope Gage, 5/16 to 1/2"	1	4.15 ea.			.05	
		99-A	Telescope Gage, 1/2 to 3/4"	1	4.15 ea.			.05	
		99-B	Telescope Gage, 3/4 to 1 1/4"	1	4.20 ea.			.05	
		99-C	Telescope Gage, 1 1/4 to 2 1/8"	1	4.20 ea.			.06	
		99-D	Telescope Gage, 2 1/8 to 3 1/2"	1	4.80 ea.			.12	1/8
		99-E	Telescope Gage, 3 1/2 to 6"	1	5.50 ea.			.20	1/4
			Extra Vinyl Case for 6 pc. set		1.50 ea.				
			Extra Vinyl Case for 3 or 4 pc. set		1.25 ea.				

● BASIC ITEMS

*NEW ITEMS












PACKING - SPECIFY IF ANY PREFERENCE
C = IND. CARDED D = DISPLAY CARDED B = BOXED

ILLUSTRATION	CAT. PAGE NO.	STOCK NO.	ITEM	PKG. QTY.	SUGG. LIST			PKG. WT.	
								LBS. DEC.	LBS. FRACT.
			TUBING CUTTERS — FLARING TOOLS						
			TUBING BENDERS						
		31	100-1/4 Tube Bender, 1/4" O.D.	6	.28 ea			1.0	1
			100-5/16 Tube Bender, 5/16" O.D.	6	.32 ea.			1.5	1 1/2
			100-3/8 Tube Bender, 3/8" O.D.	6	.38 ea.			1.75	1 3/4
			100-7/16 Tube Bender, 7/16" O.D.	6	.44 ea.			2.00	2
			100-1/2 Tube Bender, 1/2" O.D.	6	.50 ea.			2.5	2 1/2
			100-5/8 Tube Bender, 5/8" O.D.	6	.54 ea.			3.25	3 1/4
			S-106 Set of 6 Tube Benders	1	2.46 set			2.0	2
	* •	30	120 Tubing Cutter, Rollers, 1/8 to 1 1/8"	6	2.10 ea.			4.5	4 1/2
			122 Tubing Cutter, Plain, 1/8 to 1 1/8"	6	1.75 ea.			3.0	3
			123 Tubing Cutter, Midget, 1/8 to 1/2"	6	1.60 ea.		C D	2.5	2 1/2
			125 Tubing Cutter, Rollers 1/4 to 1 1/2"	6	4.20 ea.			9.0	9
			128 Tubing Cutter (Enclosed Feed) 1/8 to 1 1/8"	6	3.50 ea.			4.5	4 1/2
			RW-121 Replacement Cutter Wheels (One size fits all General Cutters)		.60 ea.				
	•	31	140 Flaring Tool, Bars, and Hand Punch	6	4.00 ea.			9.0	9
			150 Flaring Tool, Bars and Screw Yoke	6	5.50 ea.			12.0	12
			155 Flaring Tool, Q.O. Bars & Screw Yoke	6	6.00 ea.			12.0	12
		8	S-112-4 Adjustable Parallels, Set of 4, A to D	1 set	20.00 set			.80	3/4
			S-112-6 Adjustable Parallels, Set of 6, A to F	1 set	32.00 set			2.0	2
			112-A Adjustable Parallels, 3/8 to 1/2"	1	3.90 ea.			.06	
			112-B Adjustable Parallels, 1/2 to 1 1/16"	1	4.30 ea.			.1	1/8
			112-C Adjustable Parallels, 1 1/16 to 1 5/16"	1	4.60 ea.			.2	1/4
			112-D Adjustable Parallels, 1 5/16 to 1 3/4"	1	5.30 ea.			.3	3/8
			112-E Adjustable Parallels, 1 3/4 to 2"	1	5.70 ea.			.5	1/2
			112-F Adjustable Parallels, 2 to 2 1/4"	1	6.50 ea.			.75	3/4
		18	114 Bench Block	1	9.00 ea.			1.25	1 1/4
		9	116 V-Blocks and 1 Clamp Extra Clamp for #116	1	7.50 set 1.80 ea.			2.0	2
		9	117 V-Blocks and 2 Clamps (Hardened)	1	12.00 set			1.75	1 3/4
	•					Cap. Length			
			118 AA Toolmaker's Parallel Clamps			3/4 1 5/8"			
		9	118-A Toolmaker's Parallel Clamps	1	3.00 ea.	1 1/4 2"		.2	1/4
			118-B Toolmaker's Parallel Clamps	1	3.60 ea.	1 3/4 2 1/2"		.4	3/8
			118-C Toolmaker's Parallel Clamps	1	4.00 ea.	2 1/4 3"		.7	3/4
			118-D Toolmaker's Parallel Clamps	1	4.50 ea.	2 3/4 4"		1.25	1 1/4
	•	29	130 Repairman's Reamer, 1/8 to 1/2"	3	2.10 ea.			.75	3/4
			131 Plastic Handle Reamer, 1/8 to 3/8"	6	1.70 ea.		C	1.25	1 1/4
			132 Taper Reamer, 1/8 to 1/2"	1	4.00 ea.			.13	1/8
			133 Taper Reamer, 1/4 to 7/8"	1	4.30 ea.			.25	1/4
			134 Burring Reamer, 1/4 to 1 1/4"	1	6.50 ea.		Temp. Out Of Stock	.50	1/2
			135 Burring Reamer, 1/4 to 2"	1	11.00 ea.			1.25	1 1/4
			RS-136 Burring Reamer, 1/2" Rd. Sh., 1/4 to 1 1/4"	1	6.50 ea.			.6	5/8
			RS-137 Burring Reamer, 1/2" Rd. Sh. 1/4 to 2"	1	11.00 ea			2.0	2

PACKING - SPECIFY IF ANY PREFERENCE
C = IND. CARDED D = DISPLAY CARDED B = BOXED

● BASIC ITEMS





















*NEW ITEMS

ILLUSTRATION	CAT. PAGE NO.	STOCK NO.	ITEM	PKG. QTY.	SUGG. LIST			PKG. WT. LBS. DEC.	WT. LBS. FRACT.
TAP WRENCHES									
	•	26	160-R Ratchet Tap Wrench, 3/32 to 7/32" Cap	1	5.50 ea.			.4	3/8
			161-R Ratchet Tap Wrench, 7/64 to 5/16"	1	6.50 ea.			.62	3/8
			161-RL Ratchet Tap Wrench, (13") 7/64 to 5/16"	1	10.50 ea.			1.25	1 1/4
			162-R Ratchet Tap Wrench, 3/16 to 1 1/32"		8.70 ea.			1.0	1
	•		163 Plain Tap Wrench, 1/16 to 5/32"	1	1.90 ea.			.15	1/8
			164 Plain Tap Wrench, 3/32 to 7/32"	1	2.20 ea.			.4	3/8
			166 Plain Tap Wrench, 3/16 to 1 1/32"	1	3.00 ea.			.75	3/4
			166-L Plain Tap Wrench, (12") 3/16 to 1 1/32"	1	8.00 ea.			1.0	1
	•	27	170 Straight Tap Wrench, 1/16 to 1/4" Taps	1	4.00 ea.			.25	1/4
			174 1" Die Stock Holder	3	1.20 ea.			1.0	1
	•		180 Solid Jaw Tap Wrench, 1/8 to 7/32" Cap.	4	.98 ea.			.75	3/4
			181 Solid Jaw Tap Wrench, 7/32 to 5/16" Cap.	3	1.40 ea.			.75	3/4
			182 Solid Jaw Tap Wrench, 1/4 to 3/8" Cap.	2	1.80 ea.			1.0	1
	•	28	191 Carbon Steel Countersink * 1/2" dia.	6	.90 ea.		C	.5	1/2
			195-1/2 High Speed Steel Countersink 1/2"	6	1.90 ea.			.5	1/2
			195-5/8 High Speed Steel Countersink 5/8"	3	2.20 ea.			.3	1/4
			195-3/4 High Speed Steel Countersink 3/4"	3	2.50 ea.			.4	3/8
			AS195-8 H.S.S. Countersink Display—8 Asst. Sizes	1 ast	17.50 ast		D	1.25	1 1/4
	•	5	200 Thickness Gage Stock — 12" long .0015 to .003 (Specify Size)	3	.56 ea.			.06	
			200 .004 to .006 (Specify Size)	3	.40 ea.			.07	
			200 .007 to .015 & .020 (Specify Size)	3	.36 ea.			.08	
			209 Thickness Gage, 9 Leaf, .0015 to .015	1	2.60 ea.			.12	1/8
	•		209-T Taper Leaf Thickness Gage, 9 Leaf	1	3.00 ea.			.12	1/8
			226 Thickness Gage, 26 Leaf, .0015 to .025	1	4.70 ea.			.25	1/4
	•		226-T Taper Leaf Thickness Gage, 26 Leaf	1	6.00 ea.			.25	1/4
	•	5	251 Screw Pitch Gage, 51 Pitches, 4-84	1	8.80 ea.			.25	1/4
		63	258 Screw Pitch Gage, 8 Leaf	12	.70 ea.		C	.75	3/4
	•	8	260 Edge Finder, Single Head, 1/2" Shank	1	2.70 ea.			.12	1/8
			262 Edge Finder, Double Head, 1/2" Shank (.200" Head)	1	4.80 ea.			.12	1/8
			263 Edge Finder, Single Head, 3/8" Shank (.200" Head)	1	3.80 ea.			.12	1/8
			264 Edge Finder, Double Head w. Point, 1/2" Shank	1	5.00 ea.			.12	1/8
	•	18	270-2 2" Mechanic's Steel Square	1	3.40 ea.			.16	1/8
			270-3 3" Mechanic's Steel Square	1	3.70 ea.			.22	1/4
			270-4 4" Mechanic's Steel Square	1	4.00 ea.			.34	3/8
			270-6 6" Mechanic's Steel Square	1	5.00 ea.			.78	3/4

● BASIC ITEMS

*NEW ITEMS







PACKING - SPECIFY IF ANY PREFERENCE
C = IND. CARDED D = DISPLAY CARDED B = BOXED

ILLUSTRATION	CAT. PAGE NO.	STOCK NO.	ITEM	PKG. QTY.	SUGG. LIST			PKG. WT.		
								LBS. DEC.	LBS. FRACT.	
300 SERIES STAINLESS STEEL RULES										
  300  301  305  310  351	• 20	300	6" Rule, 1 ⁵ / ₃₂ " wide, 2 sides, 32,64, Clip, Dec. Eq.	1 dz.	\$.44 ea.	D D		.4	3/8	
	• 301	301	6" Rule, 1/4" wide, 1 side, 32,64 Clip	2 dz.	.18 ea.			.4	3/8	
	21	301mm	6" Rule, 1/4" wide, 1 side mm, 16, Clip	2 dz.	.18 ea.			.4	3/8	
	20	304	6" Rule, 1 ⁵ / ₃₂ " wide, 1 side, 32,64	1 dz.	.36 ea.		C	.3	1/4	
	21	305mm	6" Rule, 1 ⁵ / ₃₂ " wide, 1 side, mm, 16	1 dz.	.36 ea.		C	.3	1/4	
	20	307	6" Rule, 3/4" wide, 1 side, 8, 16	1 dz.	.40 ea.		C	.4	3/8	
	• 20	308	6" Rule, 3/4" wide, 2 side, 32,64, Dec. Eq.	1 dz.	.70 ea.		C	.4	3/8	
	• 20	309	6" Rule, 3/4" wide, 1 side, 32,64	1 dz.	.40 ea.		C	.4	3/8	
	20	310	6" Rule, 3/4 wide, 2 sides, 32,64, B&S Wire Gg.	1 dz.	.70 ea.		C	.4	3/8	
	• 21	311mm	6" Rule, 3/4 wide, 1 side, mm-inch Comparison	1 dz.	.40 ea.		C	.4	3/8	
 310  351	21	335mm	6" Rule, 1 ⁵ / ₃₂ " wide, 1 side, 1/2-mm	1 dz.	.40 ea.	C	.25	1/4		
	• 341	341	6" Rule, 3/4" wide, 1 side aircraft Grad.	1 dz.	.40 ea.	C	.4	3/8		
	• 351	351	6" Rule, 3/4" wide, 2 sides, HO-O Gage, Dec. Eq.	1 dz.	.70 ea.	C	.4	3/8		
	600 SERIES STAINLESS STEEL RULES									
	 616  634  636  678  C-692 C-693	22	602	6" Rule, 1 ⁵ / ₃₂ " wide, 1 side, 32,64	1 dz.	.60 ea.	Grad #10 Grad #11 Grad #5 Grad #4		.25	1/4
• 611		611	6" Rule, 1 ⁵ / ₃₂ " wide, 1 side, 64,100	1 dz.	.60 ea.			.25	1/4	
• 616		616	6" Rule, 1 ⁵ / ₃₂ " wide, 2 sides, 10,100,32,64	1 dz.	1.40 ea.			.25	1/4	
• 633		633	6" Rule, 1 ⁵ / ₃₂ " wide, 2 sides 10,50,16,32	1 dz.	1.40 ea.			.25	1/4	
• 634		634	6" Rule, 1 ⁵ / ₃₂ " wide, 2 sides, 8,16,32,64	1 dz.	1.40 ea.			.25	1/4	
* 25		H-636	6" Hook Rule, 3/8" wide, 2 sides, 32,64	3 ea.	2.50 ea.			.25	1/4	
• 22		676	6" Rule, 3/4" Wide, 2 sides, 8,16,32,64	1 dz.	1.50 ea.	Grad #4		.5	1/2	
* 677		677	6" Rule, 3/4" wide, 2 sides, 100,16,32,64	1 dz.	1.60 ea.	Grad #7		.5	1/2	
* 678		678	6" Rule, 3/4 wide, 2 sides, mm, 1/2mm	1 dz.	1.60 ea.			.5	1/2	
* 22		C-692	1/2" Leather Rule Case with Clip	6 ea.	.35 ea.			.5	1/2	
* 22	C-693	3/4" Leather Rule Case with Clip	6 ea.	.35 ea.		.5	1/2			
 CF-676  CF-677  1276  1201  1202	* —	CF-633	6" Rule, 1 ⁵ / ₃₂ " wide, 2 sides 10,50,16,32	1/2 dz.	1.80 ea.	Grad #5 Grad #4 Grad #4 Grad #7		.25	1/4	
	22	CF-616	6" Rule, 1 ⁵ / ₃₂ " wide, 2 sides, 10,100,32,64	1/2 dz.	1.80 ea.			.25	1/4	
	• 22	CF-634	6" Rule, 1 ⁵ / ₃₂ " wide, 2 sides, 8,16,32,64	1/2 dz.	1.80 ea.			.25	1/4	
	• 22	CF-676	6" Rule, 3/4" wide, 2 sides, 8,16,32,64	1/2 dz.	2.10 ea.			.5	1/2	
	* 22	CF-677	6" Rule, 3/4" wide, 2 sides, 100,16,32,64	1/2 dz.	2.10 ea.			.5	1/2	
	* 22	CF-678	6" Rule, 3/4" wide, 2 sides, mm, 1/2mm, 32,64,16,20,50,100	1/2 dz.	2.10 ea.			.5	1/2	
	23	CF-1216	12" Rule 1 ⁵ / ₃₂ " wide, 2 sides, 10,100,32,64	1/2 dz.	3.00 ea.		Grad #5	.4	3/8	
	• 23	CF-1234	12" Rule, 1 ⁵ / ₃₂ " wide, 2 sides, 8,16,32,64	1/2 dz.	3.00 ea.		Grad #4	.4	3/8	
	• 23	CF-1276	12" Rule, 1" wide, 2 sides, 8,16,32,64	1/2 dz.	4.00 ea.		Grad #4	2.0	2	
	1200 SERIES STAINLESS STEEL RULES									
 1201  1202	• 1201	1201	12" Rule, 7/8" wide, 2 sides, mm, 8,16,32,64	1 dz.	1.30 ea.	Grad #5 Grad #4 Mod. RR Grad #4		1.5	1 1/2	
	• 1202	1202	12" Rule, 1 ⁵ / ₃₂ " wide, 1 side, 32,64	1 dz.	1.40 ea.			.4	3/8	
	• 1216	1216	12" Rule, 1 ⁵ / ₃₂ " wide, 2 sides, 10,100,32,64	1 dz.	2.20 ea.			.4	3/8	
	• 1234	1234	12" Rule, 1 ⁵ / ₃₂ " wide, 2 sides, 8,16,32,64	1 dz.	2.20 ea.			.4	3/8	
	• 21	1251	12" Rule, HO-O Gage Model RR & Ref. Table	1 dz.	1.40 ea.			1.5	1 1/2	
	• 23	1276	12" Rule, 1" wide, 2 sides, 8,16,32,64	1/2 dz.	3.30 ea.			2.0	2	

● BASIC ITEMS

*NEW ITEMS





PACKING - SPECIFY IF ANY PREFERENCE
C = IND. CARDED D = DISPLAY CARDED B = BOXED

ILLUSTRATION	CAT. PAGE NO.	STOCK NO.	ITEM	PKG. QTY.	SUGG. LIST			PKG. WT. LBS. DEC.	LBS. FRACT.
ALNICO MAGNETS & MAGNETIC TOOLS									
	●	370-1	1 oz. Pocket Magnet	12	\$.66 ea.	C			
		370-2	2 oz. Power Magnet	6	1.30 ea.				
		370-4	4 oz. Power Magnet	3	2.20 ea.				
		370-6	6 oz. Power Magnet	3	3.00 ea.				
		AS-1370-10	Magnet Assortment (6-1 oz., 2-2 oz.) (1-4 oz., 1-6 oz.)	1	11.75 ast				
	●	370-8	8 oz. Power Magnet	1	4.10 ea.	D B		.65	5/8
		370-10	10 oz. Power Magnet	1	5.40 ea.			.8	7/8
		370-12	12 oz. Power Magnet	1	6.50 ea.			.85	7/8
		370-16	16 oz. Power Magnet	1	8.40 ea.			1.25	1 1/4
		370-24	24 oz. Power Magnet	1	12.00 ea.			1.5	1 1/2
	●	371	Minor Magnet, 1/2 oz.	12	.60 ea.	B			
		372-A	Button Type Magnet (3/8 x 1/2" dia.)	12	.36 ea.			.25	1/4
		372-B	Button Type Magnet (1/2 x 3/4" dia.)	6	.58 ea.			.4	3/8
		372-C	Button Type Magnet (5/8 x 1" dia.)	6	.90 ea.			.8	7/8
		372-D	Button Type Magnet (3/4 x 1 1/4" dia.)	3	2.10 ea.			.75	3/4
	●	372-E	Button Type Magnet (7/8 x 1 1/2" dia.)	3	2.60 ea.	B		1.25	1 1/4
		373-2	Bar-Type Magnet (Set of 2) (3/8 x 5/8 x 2")	1	2.40 set			.35	3/8
		373-3	Bar-Type Magnets (Set of 2) (3/8 x 5/8 x 3")	1	3.00 set			.5	1/2
		374-A	Pot Magnet (5/8 x 1 1/16" dia.)	6	.92 ea.			.4	3/8
		374-B	Pot Magnet (3/4 x 1 3/16" dia.)	3	1.10 ea.			.35	3/8
	●	374-C	Pot Magnet (1 x 1 1/16" dia.)	3	1.65 ea.	B		.7	3/4
		374-D	Pot Magnet (1 3/16 x 1 3/8" dia.)	3	3.20 ea.			1.5	1 1/2
		375	Magnetic Adj. Welding Links	1	10.50 ea.			1.5	1 1/2
		376	Magnetic Adj. Welding Links	1	9.00 ea.			1.3	1 1/4
		377-2	Magnetic Positioners	1	3.00 pr.			.4	3/8
	●	380-A	Machinist's Scriber, 3 points	6	1.50 ea.	C		.75	3/4
		380-B	Machinist's Scriber, 2 points	6	1.20 ea.			.5	1/2
		382	Machinist's Scriber, 2 points, adj.	6	.80 ea.			.5	1/2
		384	Flex-O-Stiff Magnet Pickup (18 to 32")	6	1.80 ea.			1.75	1 3/4
		385	Pocket Magnet Pickup	6	1.00 ea.			.5	1/2
	●	387	Magnetic Indicator Holder, Adj.	1	6.50 ea.	D C		.75	3/4
		388-A	Magnetic Indicator Base, Adj.	1	14.00 ea.			1.	1
		388-B	Magnetic Indicator Base, Adj.	1	14.00 ea.			1.	1
		389	Wiggler & Center Finder Set (3 Pt)	3	4.30 set			.5	1/2
		389-4	Wiggler & Center Finder Set (4 Pt)	3	5.20 set			.75	3/4
	●	389	Extra Needle Point Shaft for #389		.50 ea.	B			
		389	Extra Ball Shaft for #389		.50 ea.				
		389	Extra Disc Point Shaft for #389		.90 ea.				
		389	Extra Indicator Holder Shaft for #389		.90 ea.				
		390	Permanent Magnet Laboratory Kit	1	7.50 set			.75	3/4
	●	391-A	Magnetic Indicator Base, Adj.	1	12.00 ea.			1.	1
		391-B	Magnetic Indicator Base, Adj.	1	12.00 ea.			1.	1
		392-A	Magnetic Indicator Base; Quick Release	1	15.00 ea.			1.25	1 1/4
		392-B	Magnetic Indicator Base; Quick Release	1	15.00 ea.			1.25	1 1/4

● BASIC ITEMS

*NEW ITEMS


PACKING - SPECIFY IF ANY PREFERENCE
C = IND. CARDED D = DISPLAY CARDED B = BOXED

ILLUSTRATION	CAT. PAGE NO.	STOCK NO.	ITEM	PKG. QTY.	SUGG. LIST			PKG. WT. LBS. DEC.	LBS. FRACT.
 <p>S-393</p>	11	S-393	UNIVERSAL DIAL INDICATORS						
			RANGE — 0 to 100						
			Complete Set in Wood Case		29.00 set		B	2.25	2 1/4
			Indicator Only (Incl. 3 points)		17.00 ea.		B	.25	1/4
			393-B 1/8" Contact Point		.35 ea.				
			393-D 5/16" Contact Point		.35 ea.				
			393-E 1/2" Contact Point		.35 ea.				
			393-F Hole Attachment		3.60 ea.				
			393-G Clamp		2.20 ea.				
			393-H Tool Post Holder		2.00 ea.				
			393-J 12" Adj. Rod		3.60 ea.				
			393-K Sleeve Attachment		2.80 ea.				
			393-M Centering Guide		.30 ea.				
			393-N Dust Cap or Plug		.30 ea.				
			393-O Contact Point Cap		.30 ea.				
 <p>S-394</p>		S-394	RANGE — 0 — 50 — 0						
			Complete Set in Wood Case		29.00 set		B	2.25	2 1/4
			Indicator Only		17.00 ea.		B	.25	1/4
			394-B 1/8" Contact Point		.35 ea.				
			394-D 5/16" Contact Point		.35 ea.				
			394-E 1/2" Contact Point		.35 ea.				
			394-F Hole Attachment		3.60 ea.				
			394-G Clamp		2.20 ea.				
			394-H Tool Post Holder		2.00 ea.				
			394-J 12" Adj. Rod		3.60 ea.				
			394-K Sleeve Attachment		2.80 ea.				
			394-M Centering Guide		.30 ea.				
			394-N Dust Cap or Plug		.30 ea.				
			394-O Contact Point Cap		.30 ea.				
 <p>395AB</p>	10	S-395AB	Dial Test Indicator	1	27.00 set		B	.7	3/4
			S-395-A Dial Test	1	25.00 set		B	.6	5/8
			S-395-B Dial Test	1	25.00 set		B	.6	5/8
			BC-395 Body Clamp		1.95 ea.				
			US-395 Universal Shank		1.85 ea.				
			FA-395 Flexible Arm		1.50 ea.				
			SC-395 Swivel Chuck Attachment		2.80 ea.				
			ES-395 End Screw Plug		.30 ea.				
			CP-035 Contact Point — .035 Diameter		1.60 ea.				
			CP-062 Contact Point — .062 Diameter		1.60 ea.				
			CP-120 Contact Point — .120 Diameter		1.60 ea.				
 <p>398 399</p>	10	397-SGS	Universal Surface Gage Sleeve	1	In Production			.2	1/4
	10	398	Surface Gage Toolmakers, Small (with 4 and 7: Spindles)	1	15.50 ea.			1.0	1
		399	Surface Gage Machinists, Large (with 9 and 12" Spindles)	1	22.50 ea.			3.0	3

● BASIC ITEMS

*NEW ITEMS





















PACKING - SPECIFY IF ANY PREFERENCE
C = IND. CARDED D = DISPLAY CARDED B = BOXED

ILLUSTRATION	CAT. PAGE NO.	STOCK NO.	ITEM	PKG. QTY.	SUGG. LIST			PKG. WT. LBS. DEC.	WT. LBS. FRACT.
			TOOLMAKERS' ROUND LEG DIVIDERS and CALIPERS						
400	*	16 400-2	Needle Point Dividers, 2"	3	3.80 ea.			.16	1/8
		400-3	Needle Point Dividers, 3"	3	4.00 ea.			.25	1/4
		400-4	Needle Point Dividers, 4"	3	4.30 ea.			.4	3/8
		400-6	Needle Point Dividers, 6"	3	4.50 ea.			.6	5/8
402	*	402-2	Outside Calipers, 2"	3	3.80 ea.			.16	1/8
		402-3	Outside Calipers, 3"	3	4.00 ea.			.25	1/4
		402-4	Outside Calipers, 4"	3	4.30 ea.			.4	3/8
		402-6	Outside Calipers, 6"	3	4.50 ea.			.6	5/8
404	*	404-2	Inside Calipers, 2"	3	3.80 ea.			.16	1/8
		404-3	Inside Calipers, 3"	3	4.00 ea.			.25	1/4
		404-4	Inside Calipers, 4"	3	4.30 ea.			.4	3/8
		404-6	Inside Calipers, 6"	3	4.50 ea.			.6	5/8
401-AA 401-BB 401-MM		406-4	Hermaphrodite Calipers, 4"	3	4.30 ea.			.4	3/8
		406-6	Hermaphrodite Calipers, 6"	3	4.50 ea.			.6	5/8
401-L			PRECISION ELECTRONIC TWEEZERS						
423-3 423-3C 423-4	*	36 401-AA	Strong Bevel Points 5"	6	1.10 ea.			.35	3/8
	*	401-BB	Very light, fine hollow Points 4 1/2"	6	.90 ea.			.25	1/4
	*	401-MM	Very light points 5 1/8"	6	1.10 ea.			.4	3/8
	*	401-L	Slide-Lock Inspection 5 3/4"	6	1.65 ea.			.4	3/8
423-7			SWISS or DUMONT PATTERN						
	*	423-3	Stainless, very fine points 5 1/8"	6	2.10 ea.			.3	3/8
	*	423-3C	Stainless, very fine points 4 1/8"	6	2.10 ea.			.3	3/8
	*	423-4	Stainless, extra fine points 4 1/4"	6	2.30 ea.			.3	3/8
	*	423-7	Stainless, curved fine points 4 1/2"	6	2.60 ea.			3	3/8
NM 425-3C NM 425-4 NM 425-11			NON-MAGNETIC TWEEZERS						
	*	NM-425-3C	Stainless, very fine points 4 1/8"	6	2.40 ea.			.25	1/4
	*	NM-425-4	Stainless, extra fine points 4 1/4"	6	2.50 ea.			.3	3/8
	*	NM-425-11	Silicon Bronze - very fine points 4 3/8"	6	2.15 ea.			.3	3/8
403 407 409			INDUSTRIAL TWEEZERS						
	•	37 401-XX	Strong sharp points, Nickel Plated 4 1/2"	12	.85 ea.			.45	1/2
		403	Blunt Serrated Points, Nickel Plated 6"	12	.85 ea.			.85	7/8
		405	Slide Lock, Nickel Plated 4 3/4"	12	.80 ea.			.45	1/2
		407	Blunt Points, Nickel Plated 4"	12	.50 ea.			.3	3/8
		408	Sharp Bent Points, Nickel Plated 4 1/4"	12	.62 ea.			.45	1/2
405 412	•								
		409	Soldering, Blunt Points, Not Plated 6"	12	.60 ea.			.75	3/4
		410	Narrow Sharp Points, Nickel Plated 4 1/4"	12	.54 ea.			.45	1/2
		411	Self-Closing, Points, Nickel Plated 4 3/4"	12	.60 ea.			.4	3/8
		412	Slide-Lock, Blunt Point, Nickel Plated 6 1/2"	12	.80 ea.			.9	7/8
		413	Sharp Point, Nickel Plated 4 1/4"	12	.44 ea.			.4	3/8
408									
		414	Self-Closing, Blunt Serrated Pts, Nick. Pld. 6 1/2"	12	.70 ea.			.9	7/8
		415	Curved Points, Nickel Plated 6 1/2"	12	.70 ea.			.9	7/8
		416	Spade Points (for stamps, etc.) Nickel Pltd. 4 1/2"	12	.40 ea.			.5	1/2
		417	Long Straight Points, Nickel Plated 6 1/2"	12	.75 ea.			.9	7/8
410									
411 414									
415									
416	•	C-419	DISPLAY CARD ASSORTMENTS Utility Tweezer Display with 12 assorted Tweezers Nos. 407,408,410,413,416	1 cd.	7.00 cd. .60 ea.		D	.85	7/8
417	•	C-420	Industrial Tweezer Display with 12 assorted Tweezers No. 401-XX,403,412,414,415,417	1 cd.	9.00 cd. .75 ea.		D	1.25	1 1/4
C-419									

● BASIC ITEMS

*NEW ITEMS































PACKING - SPECIFY IF ANY PREFERENCE
C = IND. CARDED D = DISPLAY CARDED B = BOXED

ILLUSTRATION	CAT. PAGE NO.	STOCK NO.	ITEM	PKG. QTY.	SUGG. LIST			PKG. WT.	
								LBS. DEC.	LBS. FRACT.
 430 432 S-435	*	6	430-A Radius or Fillet Gage	1	5.90 ea.			.15	1/8
	*		432-A Radius or Fillet Gage	1	4.90 ea.			.1	1/8
 435		6	S-435-A Radius Gage Set, 16 Gages, 1/32 to 17/64"	1	10.00 set			.3	3/8
			S-435-B Radius Gage Set, 24 Gages, 1/32 to 1/2"	1	16.00 set			.75	3/4
			S-435-C Radius Gage Set, 8 Gages, 9/32 to 1/2"	1	8.00 set			.5	1/2
		435	Individual Radius Gages—Specify Size Small, 1/32 to 17/64 by 64ths Large, 9/32 to 1/2 by 32nds		.70 ea. .80 ea.				
 436		436	Radius Gage Holder, 30° and 45° Locks	1	2.20 ea.				
			Extra Vinyl Case for S-435-A		1.00 ea.				
			Extra Vinyl Case for S-435-B		1.60 ea.				
			Extra Vinyl Case for S-435-C		1.20 ea.				
 442	*	4	442 Depth Gage		in production				
			444 Depth and Angle Gage	1	4.40 ea.			.13	1/8
		444-MM	Depth and Angle Gage in MM	1	4.40 ea.			.13	1/8
 500			FLAT LEG DIVIDERS and CALIPERS						
		16	500-4 4" Flat Leg Dividers	3	2.60 ea.			.5	1/2
 500-6			500-6 6" Flat Leg Dividers	3	2.80 ea.			.7	3/4
			502-4 4" Flat Leg Outside Calipers	3	2.60 ea.			.5	1/2
 502-6			502-6 6" Flat Leg Outside Calipers	3	2.80 ea.			.7	3/4
			504-4 4" Flat Leg Inside Calipers	3	2.60 ea.			.5	1/2
 504-6			504-6 6" Flat Leg Inside Calipers	3	2.80 ea.			.7	3/4
		36	520 Precision Adjustable Trammels	1 set	8.60 set			.45	1/2
 522			522 Precision Trammels	1 set	7.20 set			.4	3/8
			523 Adjustable Trammels	1 set	6.80 set			.5	1/2
 520			MAGNIFIERS—EYE LOUPES READING GLASSES						
		56	HB527 5.0 Power Eye Loupe with Head Band	1	1.65 ea.		B	.1	1/8
 527			527 5.0 Power Eye Loupe (Ind'l. Card)	6	.90 ea.		C B	.5	1/2
			528 4.0 Power Eye Loupe (Ind'l. Card)	6	.90 ea.		C B	.5	1/2
 529			529 3.3 Power Eye Loupe	6	.90 ea.		B	.2	1/4
			529 1/2 2.7 Power Eye Loupe	6	.90 ea.		B	.2	1/4
 530			530 2.5 Power Eye Loupe	6	.90 ea.		B	.2	1/4
 531			531 Magnifier, Leather Case, 2.5x (Display Cd)	6	1.10 ea.		C D	.5	1/2
			532 Magnifier, Folding Case, 2.5x (Blister Cd)	6	1.10 ea.		C	.2	1/4
 533			533 Magnifier, Plastic Case, 5.0x (1 Lens)	6	1.10 ea.			.3	3/8
			534 Magnifier, Plastic Case, 4.0x (1 Lens)	6	1.80 ea.			.4	3/8
 536			536 Magnifier, Plastic Case, 10.0x (2 Lens)	6	1.90 ea.			.4	3/8
			537 Magnifier, Plastic Case, 8.0x (2 Lens)	6	2.60 ea.			.6	5/8
 540		57	540 2" Reading Glass, 6.50 Dioptre	1	1.80 ea.			.13	1/8
			541 2 1/2" Reading Glass, 6.50 Dioptre	1	2.25 ea.			.23	1/4
 542			542 3" Reading Glass, 6.50 Dioptre	1	2.90 ea.			.3	3/8
			543 3 1/2" Reading Glass, 6.50 Dioptre	1	3.50 ea.			.4	3/8
 544			544 4" Reading Glass, 5.00 Dioptre	1	4.10 ea.			.55	1/2
			545 4 1/2" Reading Glass, 5.00 Dioptre	1	5.20 ea.			.8	7/8
 548			S-546-10 Reading Glass Display, Asst. of 10 (2 each #541 thru #545)	1 ast	36.00 ast		D	5.5	5 1/2
		548	2" x 4" Oblong Reading Glass, 5.00 Dioptre	1	4.40 ea.			.5	1/2

● BASIC ITEMS

*NEW ITEMS










PACKING - SPECIFY IF ANY PREFERENCE
C = IND. CARDED D = DISPLAY CARDED B = BOXED

ILLUSTRATION	CAT. PAGE NO.	STOCK NO.	ITEM	PKG. QTY.	SUGG. LIST			PKG. WT. LBS. DEC.	LBS. FRACT.
	54	549-4	4" Inspection Magnifier-Flex. Arm	1	9.50 ea.			3.5	3 1/2
		550	1" Magnetic Scale Magnifier, (4.x)	6	1.20 ea.			.7	3/4
	55	552	1" Magnetic Scale Magnifier (Rem. Base)	6	1.60 ea.		B	.7	3/4
	52	555	1 1/4" Inspection Mirror, 6" adj. arm (8" O/A)	1	1.40 ea.		B	.15	1/8
		557	2 1/4" Inspection Mirror, 7" ext. arm (15" O/A)	1	2.20 ea.		B	.25	1/4
		558	1x2" Inspection Mirror, 6" adj. arm (9" O/A)	1	1.80 ea.		B	.15	1/8
		560	3 1/2x2" Inspection Mirror, 7" ext. arm (16" O/A)	1	2.30 ea.		B	.30	1/4
	*	MB-560	Inspection Mirror with Magnetic Base	1	5.50 ea.			.7	3/4
	*	555 RMF	Replacement Mirror w/Frame for #555	1	.70 ea.			.15	1/8
		558 RM	Replacement Mirrors for #558	1/2 dz	.30 ea.			.25	1/4
		560 RM	Replacement Mirrors for #560	1/2 dz	.30 ea.			.45	1/8
		557 RMF	Replacement Mirror w/Frame for #557	1	1.10 ea.			.15	1/8
		560 RMF	Replacement Mirror w/Frame for #560	1	1.30 ea.			.15	1/8
	55	565-LT	Linen Tester, Folding (5.0 Power)	1	3.10 ea.			.15	1/8
	*	566	Doublet Magnifier, 2 Lens (10.0 Power)	1	4.20 ea.			.15	1/8
	54	567-2	2" Inspection Magnifier w. adj. Cast Base	1	3.30 ea.			1.1	1 1/8
	*	MB-567	2 1/2" Insp. Magnifier with Magnet Base	1	6.00 ea.			.8	7/8
	55	568	Tripod Inspection Magnifier (10.0 Power)	1	1.80 ea.			.12	1/8
	17	SPC-600	Jewelers Screwdrivers (Set of 6 Sizes) in Snap Button Vinyl Case	1 set	4.50 set			.3	3/8
		S-600	Jewelers Screwdrivers (Set of 6 Sizes)	1 set	4.20 set		B	.3	3/8
		S-605	Jewelers Screwdrivers, (Set of 5 blades) and 1 Driver in Plastic Container	6 set	1.70 set		D	.75	3/4
	*	SPC605	Jewelers Screwdrivers (Set of 5 blades) and 1 Driver in Snap Button Plastic Case	6 set	1.70 set			.75	3/4
		600	Jeweler Screwdrivers (Indl. Sizes) 0,1,2,3,4, and 5 (Specify Size)	6	.70 ea.			.3	3/8
		NB600	Extra Blades for No. 600 (Specify Size)	1/2 dz.	2.60 dz.			.05	
		715	Set of 6 Blades for No. 600 (1 each Size)	set 6	1.30 set			.05	
		NB600	Jewelers Screwdriver Body (No blade)	6	.60 ea.				
	19	715	Reference Table, Dec. Equiv. 6" Rule with Tap and Drill Table	6	1.00 ea.			.35	3/8
	• 24	721	Vernier Calipers, Inches	6	2.20 ea.			1.5	1 1/2
		723	Vernier Calipers, Inches & MM	6	2.20 ea.			1.5	1 1/2
		725	Vernier Slide Caliper (16 & 32)	1	6.90 ea.			.3	3/8
		727	Vernier Slide Caliper (MM & 16)	1	6.90 ea.			.3	3/8
	*	728	Vernier Slide Caliper (10&16) (1000ths)	1	6.90 ea.			.4	3/8
	• 25	729	Pocket Slide Caliper—Stainless—16 & 32	6	1.98 ea.		D	.7	3/4
	*	MM729	Pocket Slide Caliper—Stainless—Millimeters	6	1.98 ea.			.7	3/4
		733	3" Pocket Slide Caliper w Case	3	3.60 ea.		C	.3	3/8
	*	733-L	3" Pocket Slide Caliper w Lock & Case	3			In Production	.3	3/8
	19	778	Center Gage, 60° (w. clearance slots) ss	6	1.40 ea.			.1	
	*	CF-778	Center Gage, 60° (w. clearance slots) chrome	6	1.85 ea.			.1	

● BASIC ITEMS

*NEW ITEMS

PACKING - SPECIFY IF ANY PREFERENCE
C = IND. CARDED D = DISPLAY CARDED B = BOXED

ILLUSTRATION	CAT. PAGE NO.	STOCK NO.	ITEM	PKG. QTY.	SUGG. LIST			PKG. WT.		
								LBS. DEC.	LBS. FRACT.	
PLUMB BOBS—LEATHER SHEATHS										
 790	• 48	790-5	5 oz. Hex Steel Plumb Bobs, N.P.	6	.98 ea.			2.	2	
	•	790-8	8 oz. Hex Steel Plumb Bobs, N.P.	3	1.20 ea.			1.6	15/8	
	•	790-12	12 oz. Hex Steel Plumb Bobs, N.P.	2	1.40 ea.			1.6	15/8	
 800	•	800-6	Brass Plumb Bob, 6 oz.	1	3.00 ea.	B		.45	1/2	
	•	800-8	Brass Plumb Bob, 8 oz.	1	3.40 ea.	B		.62	5/8	
		800-10	Brass Plumb Bob, 10 oz.	1	3.90 ea.	B		.75	3/4	
		800-12	Brass Plumb Bob, 12 oz.	1	4.30 ea.	B		.85	7/8	
		800-16	Brass Plumb Bob, 16 oz.	1	5.50 ea.	B		1.12	1 1/8	
		800-24	Brass Plumb Bob, 24 oz.	1	8.20 ea.	B		1.62	1 5/8	
 801		800-32	Brass Plumb Bob, 32 oz.	1	11.50 ea.	B		2.25	2 1/4	
		800-NP	Extra New Style Point (10-32 Thread)		.50 ea.					
		800-P	Extra Old Style Point (10-24 Thread)		.50 ea.					
		800-C	Extra Cord Cap		.50 ea.					
		801-A	Sheath for 6 & 8 oz. Plumb Bobs	1	3.00 ea.			.3	3/8	
		801-B	Sheath for 10 & 12 oz. Plumb Bobs	1	3.40 ea.			.4	1/2	
		801-C	Sheath for 16 & 24 oz. Plumb Bobs	1	3.60 ea.			.6	5/8	
		801-D	Sheath for 32 oz. Plumb Bobs	1	4.00 ea.			.75	3/4	
	 803	• 46	803	Stair Gage Set—1 Pair to an Indl. Card	6 cd	1.50 pr.	C		1.0	1
		•	804	Combination Square & Mitre	6	1.50 ea.			2.5	2 1/2
		805	Duraluminum Rafter Square	6	7.80 ea.			12.0	12	
• 40		806	Jiffy Centering Punch	12	.60 ea.	C D		1.0	1	
 804	• 17	807	Ratchet Offset Screwdriver with 1/4 and 3/8 Straight Blades	12	1.20 ea.	C B		1.25	1 1/4	
		807-X	Ratchet Offset Screwdriver with Cross Point Blades	12	1.70 ea.	C B		1.25	1 1/4	
		807-SX	Ratchet Offset Screwdriver with Straight & Crosspoint Blades	12	1.70 ea.	C B		1.25	1 1/4	
		808	4-Way Offset Screwdriver	6	1.30 ea.	B		1.5	1 1/2	
 806	• 45	809-1/32	Nail Sets, Squarehead (A)	12	.50 ea.			1.0	1	
	•	809-2/32	Nail Sets, Squarehead (B)	12	.50 ea.			1.0	1	
	•	809-3/32	Nail Sets, Squarehead (C)	12	.50 ea.			1.0	1	
		809-4/32	Nail Sets, Squarehead (D)	12	.50 ea.			1.0	1	
		809-5/32	Nail Sets, Squarehead (E)	12	.50 ea.			1.0	1	
	•	AS-809	Nail Set Assortment (12 piece asstd.) (4-2/32, 4-3/32, 2-1/32, 2-4/32")	1	6.00 ast			1.0	1	
		810	Chisel and Blade Sharpener	1	4.50 ea.	C B		2.0	2	
 810	• 41	815	Hand Vise	1	3.50 ea.			.75	3/4	
	•	816	Scratch Awl, 3 1/2" Blade, Wood Handle	6	.60 ea.			.75	3/4	
	•	817	Scratch Awl, 3 1/2" Blade, Plastic Handle	6	.60 ea.			.75	3/4	
	* •	818	Scratch Awl, 3 1/2" Blade, thru. Wood Handle with Steel Ferrule and Cap	6	1.00 ea.			1.0	1	
 816	* 39	819	All-Steel Scratch Awl & Aligning Tool	3	1.60 ea.			1.0	1	
		820	Marking Gage (Single Bar)	1	1.80 ea.			.25	1/4	
 817	* 39	821	Marking Gage New Style	4	2.20 ea.	C		2.0	2	
	* 39	MM821	Marking Gage New Style w. mm	4	2.20 ea.	C		2.0	2	
		822	Marking Gage (Double Bar)	1	2.50 ea.			.5	1/2	

● BASIC ITEMS

* NEW ITEMS







PACKING - SPECIFY IF ANY PREFERENCE
C = IND. CARDED D = DISPLAY CARDED B = BOXED

ILLUSTRATION	CAT. PAGE NO.	STOCK NO.	ITEM	PKG. QTY.	SUGG. LIST			PKG. WT.
								LBS. DEC. LBS. FRACT.
	44	823-3	Butt Marking Gage (3 inch)	6	1.70 ea.			1.0 1
		823-3 1/2	Butt Marking Gage (3 1/2 inch)	6	1.70 ea.			1.25 1 1/4
		823-4	Butt Marking Gage (4 inch)	6	1.70 ea.			1.85 1 7/8
		824	Butt Gage	1	3.20 ea.			.6 5/8
	2	825	Drill Grinding Attachment	1	7.60 ea.			2.25 2 1/4
	3	826	Drill Grinding Attachment		(in production)			
	44	828	Saw Vise	1	6.20 ea.			3.25 3 1/4
	• 47	829	Sliding-T-Bevel, 8", SS. Blade, Wood Hdl.	4	2.75 ea.			1.0 1
	•	830	8" Try Square, Rosewood Handle	4	3.40 ea.			1.75 1 3/4
	•	831	Try and Mitre Square, Plastic Hdl, 7 1/2" Bl.	6	1.30 ea.			2.0 2
	•	832	Try and Mitre Square, Cast Iron Hdl, 8" Bl.	4	3.20 ea.			3.0 3
	•	833	Sliding-T-Bevel, Plastic Handle, 8" Blade	6	1.20 ea.			1.5 1 1/2
	•	834	Sliding-T-Bevel, Steel Handle, 8" S.S. Blade	3	3.50 ea.			1.75 1 3/4
	44	835	Angle Divider	1	6.80 ea.			.75 3/4
	• 42	837	Ratchet Bit Brace, 10" (Open Ratchet)	3	9.50 ea.			8.3 8 3/4
	•	839	Ratchet Bit Brace, 10" (Closed Ratchet)	2	12.50 ea.			5.5 5 1/2
	43	840	Doweling Jig with Auger Bit Stop	1	8.90 ea.			2.75 2 3/4
		841	Auger Bit Stop	6	.60 ea.			1.5 1 1/2
	• 41	842	Pencil Compass, Divider and Scriber	12	.98 ea.	C		1.75 1 3/4
	•	843	Pencil Compass and Divider (without pencil)	12	.34 ea.	D		.8 1/2
	49	844	Line and Surface Level, Aluminum	6	1.00 ea.	C		.3 1/4
		845	3-Way Plumb and Level	1	3.30 ea.			.25 1/4
	•	846	Line Level, Aluminum, (for home Craftsman)	6	.90 ea.			.2 1/4
		847	Bull's Eye Level, Circular, Plastic	6	1.00 ea.	C		.5 1/2
		848	Plastic Line Level, non-breakable	6	1.00 ea.	C		.4 3/8
		849	Magnetic Level, Protractor, Square	6	2.90 ea.	C		2.0 2
	* MM849		Magnetic Level Protractor (Metric)	6	2.90 ea.	C		2.0 2
UTILITY and LINOLEUM KNIVES and REPLACEABLE BLADES								
	• 38	850	Utility Knife and 5 Blades	12 ea.	1.00 ea.	C		2.25 2 1/4
	•	851-5	Pkg. of 5 Standard Blades (.017") Carded	10 pkg	.46 pkg.	C		.35 3/8
	•	851-100	Box of 100 Standard Blades (.017")	1 bx.	7.00 bx.			.65 5/8
	•	852-5	Pkg. of Hy. Duty Blades (.025") Carded	10 pkg	.50 pkg.	C		.5 1/2
	•	852-100	Box of Hy. Duty Blades (.025")	1 bx.	8.00 bx.			.75 3/4
		853	Linoleum Knife w. 5 Lino. Hook Blades	6	1.16 ea.			1.15 1 1/4
		854-5	Pkg. of 5 Lino Blades (for #850 & #853)	10 pkg	.50 pkg			.5 1/2
		854-100	Box of 100 Lino Blades (for #850 & #853)	1 bx.	8.00 bx.			1.0 1
	•	C-856-5	Display Card of 5 Pkg. ea., 851, 852 & 854	1 cd	7.30 cd.	D		1.5 1 1/2
	•	855	Push-Button Utility Knife w. 5 H/D Blade	6	1.50 ea.			1.5 1 1/2
	* 857-5		Pkg. of 5 Double Hook Lino Blades	10 pkg	1.20 pkg			.5 1/2
	* 857-50		Box of 50 Double Hook Lino Blades	1 bx	10.00 bx.			.5 1/2

● BASIC ITEMS

*NEW ITEMS

PACKING - SPECIFY IF ANY PREFERENCE
C = IND. CARDED D = DISPLAY CARDED B = BOXED

ILLUSTRATION	CAT. PAGE NO.	STOCK NO.	ITEM	PKG. QTY.	SUGG. LIST			PKG. WT. LBS. DEC.	LBS. FRACT.
TUNGSTEN-CARBIDE TOOLS									
 S-870	43	870-3/16	3/16" Carbide Tipped Masonry Drills	1	1.40 ea.			.05	
		870-1/4	1/4" Carbide Tipped Masonry Drills	1	1.40 ea.			.05	
		870-5/16	5/16" Carbide Tipped Masonry Drills	1	1.55 ea.			.05	
		870-3/8	3/8" Carbide Tipped Masonry Drills	1	1.70 ea.			.1	1/8
		870-1/2	1/2" Carbide Tipped Masonry Drills	1	2.20 ea.			.15	1/8
		S-870	Carbide Tipped Masonry Drill Set (1/4, 5/16, 3/8, 1/2 in Vinyl Case)	1 set	7.25 set	C		.4	3/8
 871 872 873	TUNGSTEN-CARBIDE GRIT TOOLS								
	60	871	Utility File and Rasp 46/80 Grit	4	1.80 ea.	C		2.5	2 1/2
		872	Tang Handle File & Rasp 46/80 Grit	4	1.80 ea.	C		2.0	2
		873	Contour File and Rasp, Curved 46 Grit	4	1.80 ea.	C		2.5	2 1/2
		AS-874-3	Asst. of one each 871, 872 and 873	Ast.	5.40 ast	C		1.75	1 3/4
 875 876		875-6 1/2	6 1/2" T.C. Saw Blade (36 Grit)	1	4.90 ea.	C		1.0	1
		875-8	8" T.C. Saw Blade (36 Grit)	1	5.50 ea.	C		1.5	1 1/2
		876-8	8" T.C. Saw & Sander Blade (36/80 Grit)	1	7.50 ea.	C		1.5	1 1/2
		876-10	10" T.C. Saw & Sander Blade (36/80 Grit)	1	10.00 ea.	C		3.0	3
TUNGSTEN-CARBIDE SANDING DISCS									
 883	61	883-4F	4" T/C Disc. 150 Grit (fine)	4	1.20 ea.	C		.25	1/4
		883-4M	4" T/C Disc. 120 Grit (medium)	4	1.20 ea.	C		.25	1/4
		883-4C	4" T/C Disc. 80 Grit (coarse)	4	1.20 ea.	C		.25	1/4
		883-5F	5" T/C Disc. 150 Grit (fine)	4	1.30 ea.	C		.35	3/8
		883-5M	5" T/C Disc. 120 Grit (medium)	4	1.30 ea.	C		.35	3/8
		883-5C	5" T/C Disc. 80 Grit (coarse)	4	1.30 ea.	C		.35	1/2
		883-6F	6" T/C Disc. 150 Grit (fine)	4	1.50 ea.	C		.40	3/8
		883-6M	6" T/C Disc. 120 Grit (medium)	4	1.50 ea.	C		.40	3/8
		883-6C	6" T/C Disc. 80 Grit (coarse)	4	1.50 ea.	C		.40	3/8
TUNGSTEN-CARBIDE ORBITAL & OSCILLATING SANDING SHEETS									
 884		884-F	9 1/4" x 3 3/8" Sheet, 150 Grit (fine)	4	1.50 ea.	C		.5	1/2
		884-M	9 1/4" x 3 3/8" Sheet, 120 Grit (medium)	4	1.50 ea.	C		.5	1/2
		884-C	9 1/4" x 3 3/8" Sheet, 80 Grit (coarse)	4	1.50 ea.	C		.5	1/2
 888 890 892	• 43	888	Dowel Centers, (Set of 2 ea. 1/4, 5/16, 3/8, 1/2")	12	1.00 ea.			1.5	1 1/2
	• 39	890	File and Tool Handle (on Display Card)	12	1.00 ea.	D		2.75	2 3/4
	• 40	892-A	Spring Clamp, 1" Opening	12	.40 ea.			1.5	1 1/2
	•	892-B	Spring Clamp, 2" Opening	12	.70 ea.			4.75	4 3/4
		892-C	Spring Clamp, 3" Opening	6	1.15 ea.			4.75	4 3/4

● BASIC ITEMS

* NEW ITEMS

PACKING - SPECIFY IF ANY PREFERENCE
C = IND. CARDED D = DISPLAY CARDED B = BOXED

ILLUSTRATION	CAT. PAGE NO.	STOCK NO.	ITEM	PKG. QTY.	SUGG. LIST			PKG. WT.
								LBS. DEC. LBS. FRACT.
	894	894	9 Key Hex Socket Wrench Handle	6	1.50 ea.	C		1.5 1½
		895	9 Key Hex Socket Wrench Handle	6	1.70 ea.	C		2.5 2½
		S-896	9 Key Hex Socket Wrench Set in Case	6	.90 ea.			1.5 1½
	920	920	Buffing & Sanding Attachment for ¼" Electric Drills	1	9.20 ea.			1.75 1¾
	921	921	5½" Hi-Pile Lambs Wool Bonnet	6	.85 ea.	C		.4 3/8
	924	924	Right Angle Drive for ¼" Electric Drills	1	6.00 ea.			1.25 1¼
	924	931-PB	Safety Goggles, Plastic, Flex. (Ind. Card)	12	1.00 ea.	C		2.25 2¼
		931	Safety Goggles, Plastic Flex (Ind. Box)	12	1.00 ea.			2.35 2¼
	931	932-PB	Safety Goggles, Soft-Flex (Ind. Card)	6	2.20 ea.	C		2.0 2
		932	Safety Goggles, Soft Flex (Ind. Box)	6	2.20 ea.			2.0 2
		RL-932	Replacement Lens for #932 Goggle	6	.80 ea.			.2 3/8
	932	933-6	Face Shield, 6" Tilting Window	1	4.00 ea.			.7 3/4
		933-8	Face Shield, 8" Tilting Window	1	4.30 ea.			.7 3/4
		RV-933-6	6" Replacement Visor	3	1.50 ea.			.6 5/8
		RV-933-8	8" Replacement Visor	3	1.80 ea.			.6 5/8
		935-PB	Respirator or Filter Mask, (Ind. Card)	6	1.50 ea.	.77 (36)		1.0 1
		RF-935	Replacement Respirator Filter (2 per pkg)	6 pr.	.50 pkg			
			3-D BINOCULAR MAGNIFIERS					
		1000-2	1.5 x 20" Focus Magnifier	1	10.00 ea.			.6 5/8
		1000-3	1.75 x 14" Focus Magnifier	1	10.00 ea.			.6 5/8
		1000-5	2.25 x 10" Focus Magnifier	1	10.00 ea.			.6 5/8
		1000-7	2.75 x 7" Focus Magnifier	1	10.00 ea.			.6 5/8
		1000-10	3.5 x 5" Focus Magnifier	1	12.00 ea.			.6 5/8
		RL1000-2	Extra 1.5 x Lens Plate		4.50 ea.			
		RL1000-3	Extra 1.75x Lens Plate		4.50 ea.			
		RL1000-5	Extra 2.25x Lens Plate		4.50 ea.			
		RL1000-7	Extra 2.75x Lens Plate		4.50 ea.			
		RL1000-10	Extra 3.5x Lens Plate		6.50 ea.			
		ML-1000	Monoloupe Lens for Binocular		2.00 ea.			
		1050	Adjustable Illuminated Magnifier	1	9.95 ea.			1.25 1¼
		63	4-Way Key Chain Screwdriver — Display Cd.	12	.25 ea.	D		.8 7/8
		35	12" Magnetic Tool Holder	6	1.79 ea.	C		.75 3/4
		1800	Vacu-Vise, 2½" Jaws, Vacuum Base	1	6.95 ea.	D		2.0 2
		1802	Vacu-Base, 2 7/16" x 2 7/16", Vacuum Base	1	1.50 ea.			1.0 1
		1803	Vacu-Base, 2 3/4" x 2 3/4", Vacuum Base	1	3.00 ea.			1.0 1
		1805	Vacu-Base, 3 3/8" x 2 3/4", Vacuum Base	1	5.00 ea.			1.25 1¼
		1810	Vacu-Vise, Chrome Plated	1	10.00 ea.			2.0 2
		RP-1815	Replacement Rubber Pad for #1800		2.00 ea.			
		RJ-1816	Rubber Jaws for #1800 and #1810		1.00 pr.			
		880	Jiffy Line Fastener	12	.85 ea.			
		L-3 in 1	Large Tool Holder with Screw	3 dz.	.12 ea.			2.0 2
		M-3 in 1	Medium Tool Holder with Screw	3 dz.	.11 ea.			2.0 2
		R-3 in 1	5 Holders on Rack	1 dz.	.60 ea.			4.0 4
		2-AP	All-Purpose Holder, 2 on Card	1 dz.	.56 cd.			6.0 6
		5-AP	All-Purpose Holder, 5 in Bag	1 dz.	1.20 Bag			6.0 6
		3-in-1						
		R-3in1-5						




NO. 69
Spring Opening
WIRE STRIPPER
(Page 40)



NO. AS-195-8
HIGH SPEED STEEL
COUNTERSINKS
(Page 28)




NO. 300
6 Inch POCKET RULES
(Page 20)



NO. C-419
UTILITY TWEEZERS
(Page 37)




NO. 531
POCKET MAGNIFIERS
(Page 56)



NO. 729
STAINLESS STEEL POCKET
CALIPER
(Page 25)




NO. 790
HEXAGON STEEL
PLUMB BOBS
(Page 48)



NO. 800
SOLID BRASS
PLUMB BOBS
(Page 48)



NO. 825
DRILL GRINDING ATTACHMENT
(Page 2)



NO. 851/5
UTILITY KNIFE BLADES
(Page 38)



NO. 855
PUSH-BUTTON
SAFETY KNIFE
(Page 38)



NO. 879
TUNGSTEN CARBIDE GRIT
HALF-ROUND FILES
(Page 60)




NO. 884
TUNGSTEN CARBIDE
GRIT SANDING
SHEETS
(Page 61)




NO. 890
FILE and TOOL HANDLES
(Page 39)




NO. 932
SAFETY GOGGLES
(Page 59)




NO. 1000
3-DIMENSIONAL
BINOCULAR
MAGNIFIERS



NO. AS-1370-10
PERMANENT ALNICO
POWER MAGNETS
(Page 50)



NO. 1800
PORTABLE VACU-VISE



NO. 1805
VACU-BASE